

7
YEAR

LDV WARRANTY

DELIVER 9 BIGGEST



LDV

DELIVER 9 BIGGEST

7
YEAR

LDV WARRANTY

With extra height, space, and support, the **LDV Deliver 9 Biggest** is your reliable partner on the road, equipped to handle long days and heavy loads effortlessly. Enjoy ample cargo space, upgraded advanced safety features, and unmatched versatility, ensuring peace of mind and efficiency for your business.

POWERFUL PERFORMER

Running an advanced, economical and upgraded 2.0 litre Euro V1 turbo-diesel engine, this engine also yields an appreciable rise in power and torque: at 128kW and 420Nm it marks a substantial increase of 20kW in power and 45Nm in torque compared to the previous Deliver 9.



WORK IN COMFORT

Find your fit with an 8-way adjustable driver's seat and space for two extra passengers upfront. With plenty of space and support, the Deliver 9 Biggest is built to help you handle long days on the road. The versatile passenger seat doubles as a workspace with cup and laptop holders, while ample under-seat and overhead storage keeps your gear organised. Stay connected with a new upgraded 12.3-inch infotainment system (up from 10.1-inch on MY23 vehicles) that comes complete with Apple CarPlay®, Android Auto™, digital radio and a high-definition rearview camera (not available in the cab chassis variant).

Enjoy comfort, functionality, and connectivity on the go, making every journey effortless and enjoyable.



HEAVY LIFTER

Inside the cargo, find heavy duty tie-down rings, an easy grab handle and LED lighting help you manage even your biggest payloads. Open the 236-degree opening cargo doors to pack the floor space capable of fitting three standard pallets, then get to stacking with the 2,012mm height. The low floor clearance and rear step makes loading a breeze. Couriers, campers and tradies will love the Deliver 9 Biggest.

DELIVER 9	VOLUME	PAYLOAD
Big	9.66m ³	1,500kg*
Bigger	10.97m ³	1,640kg*
Biggest	12.33m³	1,620kg*



CUSTOMISATION

Talk to us about colour choices, customisation, signwriting, parts and accessories – we'll see you right.

DELIVER 9 BIGGEST

7 YEAR

LDV WARRANTY

Biggest of the range, means the biggest possibilities. You won't be skimping on space in this beast. Load two New Zealand, or three to four European pallets with a wheel arch width of 1,366mm across the range.



CARRIES:
12.33M³ OF ANYTHING

Cargo area (mm)
3,413(L) x 1,800(W) x 2,012(H)
Double sliding doors
Rear barn doors
Low floor clearance



SEE FULL RANGE
HERE



POWERED BY:

**THE 2.0 LITRE
TURBO-DIESEL ENGINE**

Power: 128kW
Torque: 420Nm

- 8 speed ZF auto
- Rear Wheel Drive
- Eco and Power mode
- Engine Stop/Start System

KEY FEATURES

- 12.3" Infotainment display with Apple CarPlay® & Android Auto™
- Wide view rear overhead camera
- Adaptive Cruise Control
- Hill Hold Assist
- Front and rear parking sensors
- Dual sliding doors
- Warranty 7-Years/200,000km* (whichever occurs first)

Disclaimer: Safety technologies may not operate optimally under all driving conditions, operation and effectiveness depends on many factors. Driver is responsible for safe and attentive driving. Safety technologies are not a substitute for the driver's control over the vehicle. See owner's manual for complete details. Payload and tare weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to New Zealand towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Tare weight includes the vehicle with 10 litres of fuel and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and tare weight. When a genuine tow bar with wiring is fitted, and trailer is attached, parking sensors will be disabled.

*The warranty is for a period of 7 years or 200,000kms / 160,000kms for EVs (whichever comes first), from the date of first registration, provided that the vehicle is serviced as per the maintenance schedule set out in the Service & Warranty Booklet. It covers manufacturing defects caused by factors such as design, assembly, and raw materials of the covered parts along with all-inclusive roadside assistance. It excludes routine maintenance, wear-and-tear items, and damage caused by misuse, accidents, or unauthorised repairs. Warranty claims require proof of purchase and service records. This warranty complies with local laws and does not affect your statutory rights. This is valid on all vehicles registered on or after 1 December 2024. For full details, visit <https://ldv.co.nz/warranty/>.

ALL RIGHTS RESERVED. LDV New Zealand reserves the right to vary vehicle specifications and standard features in New Zealand from those detailed in this brochure. Vehicles shown in this brochure may be fitted with accessories or may feature equipment that is not available in New Zealand-spec models. Please check with your local authorised LDV Dealership. No part of this brochure can be reproduced without written permission from LDV New Zealand. Visit ldv.co.nz

For more information, visit ldv.co.nz



DELIVER 9 TECHNICAL SPECIFICATION

Model Year	2024							
Variant	Big	Big Heavy Duty	Bigger	Bigger Heavy Duty	Biggest	Cab Chassis	12 Seater Minibus	14 Seater Minibus
Transmission	8 speed ZF automatic		8 speed ZF automatic		8 speed ZF automatic	8 speed ZF automatic	8 speed ZF automatic	8 speed ZF automatic
Drive	RWD	RWD	RWD	RWD	RWD	RWD	RWD	RWD
General								
Warranty 7-Year/200,000km (whichever occurs first)	•	•	•	•	•	•	•	•
Engine	2.0L turbo diesel Euro VI engine		2.0L turbo diesel Euro VI engine		2.0L turbo diesel Euro VI engine	2.0L turbo diesel Euro VI engine	2.0L turbo diesel Euro VI engine	2.0L turbo diesel Euro VI engine
Rated Power (kW)	128kW @ 3,500rpm		128kW @ 3,500rpm		128kW @ 3,500rpm	128kW @ 3,500rpm	128kW @ 3,500rpm	128kW @ 3,500rpm
Maximum Torque (Nm)	375Nm @ 1,500-2,400 rpm		375Nm @ 1,500-2,400 rpm		375Nm @ 1,500-2,400 rpm	375Nm @ 1,500-2,400 rpm	375Nm @ 1,500-2,400 rpm	375Nm @ 1,500-2,400 rpm
Maximum Torque (Nm)	420Nm @ 1,500-2,400rpm		420Nm @ 1,500-2,400rpm		420Nm @ 1,500-2,400rpm	420Nm @ 1,500-2,400rpm	420Nm @ 1,500-2,400rpm	420Nm @ 1,500-2,400rpm
Displacement	1,996cc	1,996cc	1,996cc	1,996cc	1,996cc	1,996cc	1,996cc	1,996cc
Compression Ratio	15.9 : 1	15.9 : 1	15.9 : 1	15.9 : 1	15.9 : 1	15.9 : 1	15.9 : 1	15.9 : 1
No. of Valves	16	16	16	16	16	16	16	16
No. of Cylinders	4	4	4	4	4	4	4	4
Bore x Stroke (mm)	83 x 92	83 x 92	83 x 92	83 x 92	83 x 92	83 x 92	83 x 92	83 x 92
Emissions Standard	Euro VI	Euro VI	Euro VI	Euro VI	Euro VI	Euro VI	Euro VI	Euro VI
Eco/Power Mode	•	•	•	•	•	•	•	•
Engine Stop/Start System	•	•	•	•	•	•	•	•
Fuel Tank (Litres)	80	80	80	80	80	80	80	80
Steering & Handling								
Electric power steering	•	•	•	•	•	•	•	•

DELIVER 9 TECHNICAL SPECIFICATION

Model Year	2024							
Variant	Big	Big Heavy Duty	Bigger	Bigger Heavy Duty	Biggest	Cab Chassis	12 Seater Minibus	14 Seater Minibus
Front suspension – MacPherson Independent	•	•	•	•	•	•	•	•
Rear suspension - Leaf Spring	•	•	•	•	•	•	•	•
Wheels	16" steel wheels		16" steel wheels		16" steel wheels	16" steel wheels	16" steel wheels	16" steel wheels
Tyres	235/65R16C tyres		235/65R16C tyres		235/65R16C tyres	235/65R16C tyres	235/65R16C tyres	235/65R16C tyres
Full size steel spare wheel	•		•		•	•	•	•
Brakes								
Front ventilated discs	•	•	•	•	•	•	•	•
Rear discs	•	•	•	•	•	•	•	•
Body Details								
Length – excluding rear camera (mm)	5,546	5,546	5,940	5,546	5,940	6,200	5,940	5,940
Width (mm)	2,052	2,052	2,052	2,052	2,052	2,052	2,052	2,052
Width – including mirrors (mm)	2,466	2,466	2,466	2,466	2,466	2,466	2,466	2,466
Height – excluding rear camera (mm)	2,555	2,555	2,535	2,535	2,755	2,320	2,535	2,535
Wheel base (mm)	3,366	3,366	3,760	3,760	3,760	3,760	3,760	3,760
Turning circle (m)	13	13	14.2	14.2	14.2	14.2	14.2	14.2
Cargo area length (mm)	3,019	3,019	3,413	3,413	3,413			
Cargo area width (mm)	1,800	1,800	1,800	1,800	1,800			
Cargo area height (mm)	1,792	1,792	1,792	1,792	2,012			
Width between wheel arches (mm)	1,360	1,360	1,360	1,360	1,360			
Rear door opening width (mm)	1,570	1,570	1,570	1,570	1,570		1,570	1,570
Rear door opening height (mm)	1,570	1,570	1,656	1,656	1,864		1,606	1,606
Side door opening width (mm)	1,269	1,269	1,269	1,269	1,269		850	850

DELIVER 9 TECHNICAL SPECIFICATION

Model Year	2024							
Variant	Big	Big Heavy Duty	Bigger	Bigger Heavy Duty	Biggest	Cab Chassis	12 Seater Minibus	14 Seater Minibus
Side door opening height (mm)	1,674	1,674	1,674	1,674	1,674		1,674	1,674
Gross combined mass (kg)	6,600	6,600	6,800	6,800	6,800	7,295	6,850	6,850
Gross vehicle mass (kg)	3,500	3,500	3,500	3,500	4,000	4,495	4,050	4,050
Front axle capacity (kg)	1,570	1,695	1,570	1,695	1,800	1,740	1,740	1,740
Rear axle capacity (kg)	1,930	1,805	1,930	1,805	2,200	2,840	2,310	2,310
Payload (kg) - excluding driver (75kg)	1,075	1,025	1,075	1,025	1,620	2,400	1,345	1,345
Braked towing capacity (kg)	2,800	2,800	2,800	2,800	2,800	2,800	2,500	2,500
Unbraked towing capacity (kg)	750	750	750	750	750	750	750	750
Cargo volume (m ³)	9.66	10.97	10.97	10.97	12.33			

Safety and Security Features								
Roll Movement Intervention (RMI)	•	•	•	•	•	•	•	•
Driver's and passenger airbags - Front, side and curtain (first row)	•	•	•	•	•	•	•	•
Wide view rear overhead camera	•	•	•	•	•		•	•
Remote keyless entry and central locking	•	•	•	•	•	•	•	•
Tyre pressure monitoring system	•	•	•	•	•	•	•	•
Front Collision Warning (FCW)	•	•	•	•	•	•	•	•
Blind Spot Detection (BSD)	•	•	•	•	•		•	•
Lane Change Assist (LCA)	•	•	•	•	•			
Emergency Lane Keeping (ELK)	•	•	•	•	•	•	•	•
Electronic Stability Control (ESC)	•	•	•	•	•	•	•	•
Emergency Brake Assist (EBA)	•	•	•	•	•	•	•	•
Anti Skid Braking System (ABS)	•	•	•	•	•	•	•	•

DELIVER 9 TECHNICAL SPECIFICATION

Model Year	2024							
Variant	Big	Big Heavy Duty	Bigger	Bigger Heavy Duty	Biggest	Cab Chassis	12 Seater Minibus	14 Seater Minibus
Door Opening Warning (DOW)	•	•	•	•	•		•	•
Brake Assist System (BAS)	•	•	•	•	•	•	•	•
Hill Hold Assist (HHA)	•	•	•	•	•	•	•	•
Autonomous Emergency Braking (AEB)	•	•	•	•	•	•	•	•
Adaptive Cruise Control (ACC)	•	•	•	•	•	•	•	•
Lane Departure Warning (LDW)	•	•	•	•	•	•	•	•
Rear Cross Traffic Alert (RCTA)	•	•	•	•	•	•	•	•
Speed Limit Sign Identification	•	•	•	•	•	•	•	•
Intelligent Headlight Control	•	•	•	•	•	•	•	•
Traction Control System (TCS)	•	•	•	•	•	•	•	•
Vehicle Dynamics Control (VDC)	•	•	•	•	•	•	•	•
Front parking sensors x 4	•	•	•	•	•		•	•
Reverse parking sensors (four)	•	•	•	•	•		•	•
Remote central locking	•	•	•	•	•	•	•	•
LED Daytime Running Lights	•	•	•	•	•	•	•	•
Halogen headlights and bulb tail lights	•	•	•	•	•	•	•	•
Driver State Monitoring System	•	•	•	•	•	•	•	•
Cargo Area								
Non slip entry steps – side and rear	•	•	•	•	•			
Sturdy tie-down points	8	8	8	8	8			
Heavy duty, non-slip hard rubber flooring	•	•	•	•	•			
LED illuminated rear cargo lighting	•	•	•	•	•			

DELIVER 9 TECHNICAL SPECIFICATION

Model Year	2024							
Variant	Big	Big Heavy Duty	Bigger	Bigger Heavy Duty	Biggest	Cab Chassis	12 Seater Minibus	14 Seater Minibus
External Features								
Power and electric heated wing mirror with turn signals	•	•	•	•	•	•	•	•
Electric heated rear window	•	•	•	•	•		•	•
Rear High Mounted LED Stop Lamp	•	•	•	•	•		•	•
Single side sliding door	Optional	Optional	Optional	Optional	Optional			
Dual side sliding doors	•	•	•	•	•		Single	Single
236 degree rear barn doors	•	•	•	•	•			
Integrated rear step	•	•	•	•	•		•	•
Fog lights – Front and rear	•	•	•	•	•	•	•	•
Interior Features								
Air conditioning (front)	•	•	•	•	•	•	•	•
Electronic Park Brake	•	•	•	•	•		•	•
Auto Wipers – Rain Sensing	•	•	•	•	•	•	•	•
Automatic Headlights	•	•	•	•	•	•	•	•
Tilt adjustable steering wheel	•	•	•	•	•	•	•	•
Multifunction steering wheel	•	•	•	•	•	•	•	•
Column Shift Gear Lever	•	•	•	•	•	•	•	•
Power windows (front)	•	•	•	•	•	•	•	•
8-way adjustable driver's seat with fold down armrest	•	•	•	•	•	•	•	•
Bench seat which fits two passengers. Built in under seat storage.	•	•	•	•	•			

DELIVER 9 TECHNICAL SPECIFICATION

Model Year	2024							
Variant	Big	Big Heavy Duty	Bigger	Bigger Heavy Duty	Biggest	Cab Chassis	12 Seater Minibus	14 Seater Minibus
Fold down middle passenger seat back with cup and laptop holder	•	•	•	•	•		•	•
Overhead storage compartments	•	•	•	•	•	•	•	•
Driver and passenger deep door pockets	•	•	•	•	•	•	•	•
Cup Holders x 4	•	•	•	•	•	•	•	•
12V Power Outlet x 1	•	•	•	•	•	•	•	•
USB ports	2	2	2	2	2	1	2	2
Apple CarPlay®	•	•	•	•	•	•	•	•
Android Auto™	•	•	•	•	•	•	•	•
4.2" LCD instrument cluster	•	•	•	•	•	•	•	•
12.3" Infotainment Display with Bluetooth, FM/AM/MP3 Player, Apple CarPlay® & Android Auto™, DAB Radio	•	•	•	•	•	•	•	•

Disclaimer: Safety technologies may not operate optimally under all driving conditions, operation and effectiveness depends on many factors. Driver is responsible for safe and attentive driving. Safety technologies are not a substitute for the driver's control over the vehicle. See owner's manual for complete details. Payload and tare weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to New Zealand towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Tare weight includes the vehicle with 10 litres of fuel and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and tare weight. When a genuine tow bar with wiring is fitted, and trailer is attached, parking sensors will be disabled.

*The warranty is for a period of 7 years or 200,000kms / 160,000kms for EVs (whichever comes first), from the date of first registration, provided that the vehicle is serviced as per the maintenance schedule set out in the Service & Warranty Booklet. It covers manufacturing defects caused by factors such as design, assembly, and raw materials of the covered parts along with all-inclusive roadside assistance. It excludes routine maintenance, wear-and-tear items, and damage caused by misuse, accidents, or unauthorised repairs. Warranty claims require proof of purchase and service records. This warranty complies with local laws and does not affect your statutory rights. This is valid on all vehicles registered on or after 1 December 2024. For full details, visit <https://ldv.co.nz/warranty/>. Exclusions apply: COF inspections and certification costs for Deliver 9 (heavy-duty) vehicles are not covered by the LDV Warranty. Warranty coverage applies to eligible WOF vehicles.

ALL RIGHTS RESERVED. LDV New Zealand reserves the right to vary vehicle specifications and standard features in New Zealand from those detailed in this brochure. Vehicles shown in this brochure may be fitted with accessories or may feature equipment that is not available in New Zealand-spec models. Please check with your local authorised LDV Dealership. No part of this brochure can be reproduced without written permission from LDV New Zealand. Visit ldv.co.nz



Disclaimer: Safety technologies may not operate optimally under all driving conditions, operation and effectiveness depends on many factors. Driver is responsible for safe and attentive driving. Safety technologies are not a substitute for the driver's control over the vehicle. See owner's manual for complete details. Payload and tare weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to New Zealand towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Tare weight includes the vehicle with 10 litres of fuel and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and tare weight. When a genuine tow bar with wiring is fitted, and trailer is attached, parking sensors will be disabled.

*The warranty is for a period of 7 years or 200,000kms / 160,000kms for EVs (whichever comes first), from the date of first registration, provided that the vehicle is serviced as per the maintenance schedule set out in the Service & Warranty Booklet. It covers manufacturing defects caused by factors such as design, assembly, and raw materials of the covered parts along with all-inclusive roadside assistance. It excludes routine maintenance, wear-and-tear items, and damage caused by misuse, accidents, or unauthorised repairs. Warranty claims require proof of purchase and service records. This warranty complies with local laws and does not affect your statutory rights. This is valid on all vehicles registered on or after 1 December 2024. For full details, visit <https://ldv.co.nz/warranty/>. Exclusions apply: COF inspections and certification costs for Deliver 9 (heavy-duty) vehicles are not covered by the LDV Warranty. Warranty coverage applies to eligible WOF vehicles.

ALL RIGHTS RESERVED. LDV New Zealand reserves the right to vary vehicle specifications and standard features in New Zealand from those detailed in this brochure. Vehicles shown in this brochure may be fitted with accessories or may feature equipment that is not available in New Zealand-spec models. Please check with your local authorised LDV Dealership. No part of this brochure can be reproduced without written permission from LDV New Zealand. Visit ldv.co.nz